Victoria

and

Southeastern Vancouver Island

Checklist of Birds

August 2017



Gray (Canada) Jays



Victoria Natural History Society
P.O. Box 5220, Stn B
Victoria, BC V8R 6N4

naturevictoria.ca

Explanation of Symbols

The symbols used indicate the potential for an observer, while searching in appropriate habitat, to encounter the species. Contiguous bars indicate a date range for which the status applies, not to specific individual sightings.

- Common moderate to large numbers in suitable habitats.
- **Fairly common** low to moderate numbers in suitable habitats.
- ___ Uncommon usually in low numbers or irregular, often local.
- Rare for this area occurs most years but usually few records per year.
- Vagrant not expected annually, but more than 5 records in the past century. Outside normal range.
- Accidental five or fewer records in the past century.
 Far outside normal range.
- **Duration of stay** for a known individual.
- (3) Number of confirmed records accidental species only.
- (I) Introduced survived and bred for 10 years or longer.
- (E) Extirpated no longer nesting or no longer present in the checklist area.
- N **Breeding** at least one successful nest record for the checklist area. (N) no nests in past 10 years. N? status uncertain.
- (OS) Offshore most likely seen from boat in local marine waters.
- (H-1) Hypothetical one or more (e.g. H-3) well-documented records, but each unconfirmed by photograph or second observer.
- (L) **Local** may be fairly common but confined to localized sites.
- (R-1) Recurring one or more accidental individuals, observed in multiple years.
- Trend 30-year trend based on Breeding Bird Surveys, Christmas Bird Counts, eBird data and historic records. Trend assessment is also based on significantly expanded or contracted occupied habitat within the checklist area. Species with insufficient data or no recognizable trend are left blank. A wavy line (www) indicates an irruptive species which may be seen in high numbers in some years but be rare or even absent in others.

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|-------------------------------|---------------|-------|---------|------|-----------|------|------|----------|-----|-----|--------|------------|----|---|-----|
| Geese, Swans & D | ucks | | | | | | | | | | | | | | |
| _Emperor Goose | EMGO | | | •••• | •••• | •••• | •••• | | | | | | • | • | ••• |
| _Snow Goose | SNGO | 7 | | | | | | | - | - | | | | | |
| _Gr.White-fronted | | | | | | | | | | | | | | | |
| Goose | GWFG | 7 | | | | | - | | | - | | | _ | | |
| _Brant | BRAN | 7 | | | | - | - | | | | | | | | |
| _Cackling Goose | CACG | | | | | | | | | - | | | | | |
| Canada Goose | CANG | 7 | N | | | | | | | | | | | | |
| Mute Swan(I) | MUSW | 7 | N | | | | | - | | - | | | | | _ |
| _Trumpeter Swan | TRUS | 7 | | | | | | •n | www | www | | www | | | |
| Tundra Swan | TUSW | | | | | | | •n | www | www | ······ | www | | | |
| Wood Duck | WODU | 7 | N | | | | | | | | | | | | |
| _Blue-winged Teal | | 7 | N | | | _ | | | | | | | | | |
| Cinnamon Teal | CITE | 7 | N | | | | | | | | | - - | | | |
| Northern Shoveler | | 7 | N | | | | | | | | | | | | |
| _Northern Shoveler Gadwall | GADW | | N | | | | | | | | | | | | |
| _Gadwaii _Eurasian Wigeon | - | | IN | | | | | | | | | | | | |
| | | | N | | | | | [| | | | _ | | | |
| _American Wigeon Mallard | MALL | | N | | | | | | | | | | | | |
| | WALL | | IN | | | | | | | | | | | | |
| _Amer. Black | A D D L L | ι. | | | | | | | | | | | | | |
| Duck(I,L) | ABDU | 7 | | | | | | | | | | | | | |
| _Northern Pintail | NOPI | | N | | | - | | | | | | | | | |
| _Green-winged Teal | AGWT | | N | | | | | | | | | | | | |
| _ "Eurasian" Teal | | | | | | | | - | | | | | | | |
| _Canvasback | CANV | 7 | | | | | | | - | | | _ | | | |
| _Redhead | REDH | | | | | | | | - | | - | - | | | |
| _Ring-necked Duck | | | N | | | | | | | | | _ | | | |
| _Tufted Duck | TUDU | | | • | •→ • | •••• | • | | | | | | | • | • |
| _Greater Scaup | GRSC | 7 | | | | | - | | | | | | - | | - |
| _Lesser Scaup | LESC | | | | | | | | | | | | -5 | | |
| _Steller's Eider(1) | STEI | | | | 01 | ৸ | | | | | | | | | |
| _Spectacled | | | | | | | | | | | | | | | |
| Eider(H-1) | SPEI | | | | | | | | | | | 0 | | | |
| _King Eider(2) | KIEI | | | 0 | О | | | | | | | | | | |
| _Harlequin Duck | HADU | | | | | | | | | | | | | | |
| _Surf Scoter | SUSC | 7 | | | | | | <u> </u> | - | | | | | | |
| _White-winged Scoter | WWSC | | | - | | | - | | | | _ | - | | | |
| Black Scoter | BLSC | 7 | | | - | | | | | | | - | | | ļ |
| _ Long-tailed Duck | LTDU | | | - | <u> </u> | - | _ | - | | ļ | | | _ | | _ |
| _Bufflehead | BUFF | | N | | | | | - | | | | | - | | |
| _ | | | | | L | | _ | | | | L_ | | | | Ļ |
| | | | | J | F | М | Α | M | J | J | Α | S | 0 | N | D |

| | | | | | | | | | | | | | | | _ |
|-----------------------------|---------------|-------|---------|----|----|-----|-----|-----|----------|---|----------|---|----------|-----|-----|
| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
| _Common Goldeneye | | 1 | (N) | | | - | - | | | | | | | - | |
| _Barrow's Goldeneye | BAGO | | | | | | | | - | | | | - | | - |
| _Hooded | | | | | | L | | | | | | | | | |
| Merganser | HOME | | N | | | | | | | | | | | | |
| _Common Merganser | COME | | N | | | | | | | | | | | | |
| Red-breasted | COIVIE | | IN | | | | | | | | | | | | |
| Merganser | RBME | | | | | | | | | | | | - | | |
| _Ruddy Duck (L) | RUDU | | N | | | | | | | | | | _ | | |
| _ , , , | | | | | | | | | | | | | | | |
| Quail, Pheasants | & | | | | | | | | | | | | | | |
| Grouse | | | | | | | | | | | | | | | |
| _Mountain Quail(I,E) | | | (N) | | | | | | | | | | | | |
| _California Quail(I) | | | N | | | | | | | | | | | | |
| _Gray Partridge(I,E) | GRPA | | (N) | | | | | | | | | | | | |
| _Ring-necked Pheasant(I) | RNEP | 1 | N | | | | | | | | | | | | |
| Ruffed Grouse | RUGR | K | N | | | | | | | | | | | | |
| _Sooty Grouse | SOGR | 1 1 | N | | | | | | | L | | | | | |
| _00019 010030 | OOOIX | | 14 | | | | | | | | | | | | |
| Grebes | | | | | | | | | | | | | | | |
| _Pied-billed Grebe | PBGR | | N | | | | _ | | | | | | | | _ |
| _Horned Grebe | HOGR | 7 | | | | _ | _ | | | | - | | | | |
| _Red-necked | | | | | | | | | | | | | | | |
| Grebe | RNGR | 7 | | | | | | | - | | | | | | |
| _Eared Grebe | EAGR | 1 | | | | | | | | | | | | | |
| _Western Grebe | WEGR | 7 | | | | | | | | | | | | | |
| _Clark's Grebe | CLGR | | | | | | • • | | | | | • | •••• | v●→ | • → |
| Pigeons & Doves | | | | | | | | | | | | | | | |
| _Rock Pigeon(I) | ROPI | 7 | N | | | | | | | | | | | | |
| _Rand-tailed Pigeon | | 1 1 | N | | | | | | | | | | _ | | |
| Eurasian | D | Ĭ | ., | | | | | | | | | | | | |
| Collared-dove(I) | EUCD | 7 | N | | | | | | | | | | | | |
| _White-winged | | | | | | | | | | | | | | | |
| Dove(3) | WWDO | | | on | ∿→ | | | | | | | | 0 | 0 | |
| _Mourning Dove (L) | MODO | 7 | Ν | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Cuckoos | | | | | | | | | | | | | | | |
| _Yellow-billed | VDOLL | | | | | | | | | | | | | | |
| Cuckoo(5) | YBCU | | | Η, | F | М | Α | М | J | J | A | S | 0 | N | D |
| | | | | J | 1. | IAI | ^ | IAI | J | J | | J | U | 14 | U |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|--|---------------|-------|---------|---|---|---|-----|-----------|----------|----|----|-------|-----|-------|---|
| Goatsuckers _Lesser Nighthawk(2) _Common Nighthawk _Nighthawk sp | CONI | 7 | N | | | | | 0 0 | - | | | | | 0 | |
| _Common Poorwill(1) | COPO | | | | | | | | | | | | | 0 | |
| Swifts _Black Swift _Vaux's Swift | BLSW VASW | RK | N | | | | - | - | - | | | | | | |
| Hummingbirds _Anna's Hummingbird Costa's | ANHU | 7 | N | | | | | | | | | | | | |
| Hummingbird(3) Rufous | COHU | | | | | | omo | ₩→ | | | | | | | |
| Hummingbird _Calliope | RUHU | 7 | N | | | | | | | | | | | | |
| Hummingbird | CAHU | | | | | | • • | • • | | | | | | | |
| Rails & Coots _Virginia Rail Sora | VIRA SORA | 7 | N N | | | | | | | | | | - | | _ |
| _American Coot | AMCO | 7 | N | | | | _ | | | | | | | | |
| Cranes _Sandhill Crane | SACR | 7 | | | | | | | - | | | . | | | |
| Avocets & Stilts _Black-necked Stilt(4) _American Avocet (4) | BNST AMAV | | N | | | | 0 | v→v ○→ | vvvv. | w→ | on | ····· | vov | ↳ | |
| Oystercatchers _Black Oystercatcher | BLOY | | N | | | | | | | | | | | | |
| Plovers | DDDI | | | | | | | | | | | | | | |
| _Black-bellied Plover _American | | Ä | | | | | | | | | | | | | |
| Golden-Plover _Pacific | AMGP | N | | | | | | - | - | | | | | | |
| Golden-Plover | PAGP | | | J | F | М | Α | | J | J | Α | | 0 | N | [|

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|------------------------------------|---------------|-------|---------|---|---|----|----------|----------|-----|----------|-----|------------|----------|----|----|
| Lesser Sand | | | _ | | | | | | | | | | | | |
| Plover(1) | LSAP | | | | | | | | 0 | | | | | | |
| _Semipalmated | | | | | | | | | | | | | | | |
| Plover | SEPL | 7 | | | | | | | | - | | | | | - |
| _Killdeer | KILL | 7 | N | | | | | | | | | | | | |
| Sandpipers & | | | | | | | | | | | | | | | |
| Phalaropes | | | | | | | | | | | | | | | |
| _Upland Sandpiper | UPSA | | | | | | | • | | | • • | • | | | • |
| _Whimbrel | WHIM | | | | | | - | | | | | - - | | | |
| _Long-billed | | | | | | | | | | | | | | | |
| Curlew | LBCU | | | | | • | • | | | | ••• | ww | → | | |
| _Bar-tailed Godwit | BTGO | | | | | | | | | | • | •••• | •• | | |
| _Hudsonian Godwit(5) | HUGO | | | | | | | 00 | | | | 0 0 | | | |
| Marbled Godwit | MAGO | | | | | | | | | | | | | | |
| _Ruddy Turnstone | RUTU | 7 | | | | | | L | | | | L. | | | |
| Black Turnstone | BLTU | 7 | | | | | _ | L. | | | | | | | |
| Red Knot | REKN | V | | | | | | | | | | | | | |
| Surfbird | SURF | | | | | | | | | 📰 | | | | | |
| Ruff | RUFF | | | | | | | | | | | | | | |
| _Sharp-tailed | | | | | | | | | | | | | | _ | |
| Sandpiper | SPTS | | | | | | | | | | | | •• | | |
| _Stilt Sandpiper | STSA | | | | | | | | | | - | | | | |
| Curlew | 0.07. | | | | | | | | | | | | | | |
| Sandiper(1) | CUSA | | | | | | | | | 0-) | | | | | |
| _Sanderling | SAND | | | | | | | | | | | | | | |
| _ounlin | DUNL | ĸ | | | | | | _ | | | | | _ | _ | |
| _Rock Sandpiper | ROSA | 7 | | | | | | | | | | | | | |
| _Baird's Sandpiper | | | | | | | | | | - | | L | | | |
| _Little Stint(1) | LIST | | | | | | | | | | | o→ | | | |
| _Least Sandpiper | LESA | | | _ | | | | | | | | ∪→ | | | |
| White-rumped | LLOA | | | | | | | | | | | | | | |
| Sandpiper(H-4) | WRSA | | | | | | 0 | | | | 0 | | | | |
| Buff-breasted | WINOA | | | | | | 0 | | D | | 0 | D | | | |
| _buil-breasted Sandpiper | BBSA | | | | | | | | | | | | | | |
| _Pectoral Sandpiper | PESA | | | | | | | L | L. | ١. | | | | L. | |
| _Semipalmated | LOA | | | | | | | | | | | | | | |
| _Semipalmated Sandpiper | SESA | | | | | | | L | ا ـ | | L. | L | | | |
| _Western Sandpiper | WESA | | | | Ĺ | ١. | _ | |] | | | | | L | |
| Western Sandpiper _Short-billed | WLSA | | | | |] | | | 1 | | | | | | |
| _Snort-billed Dowitcher | SBDO | V | | | | | | | | | | | | L. | l. |
| POMICIE | SDDO | • | | J | F | М | Α | М | J | J | Α | S | 0 | N | D |

| Common Name eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|---|-------|---------|------|--------|----------|-------|----------|-----|-----------|--------------|----------|----|------------|------|
| _Long-billed Dowitcher LBDO _Wilson's Snipe WISN _Terek Sandpiper(1) TESA | 7 | N | | | | | | | | - | - | - | | |
| _Spotted Sandpiper SPSA _Solitary Sandpiper SOSA _Wandering Tattler WATA | | N | | | | | | | | | | - | | |
| _Lesser Yellowlegs LEYE _Willet WILL _Greater Yellowlegs GRYE | | | •••• | • | •• | •• | ••• | - | | •• | | | •••• | •••• |
| _Wilson's Phalarope WIPH _Red-necked Phalarope RNPL | | (N) | | | | | | | | | | | | |
| _Red Phalarope (OS) REPH Skuas | | | | | | | | | | | | | | |
| _South Polar Skua(5) SPSK _Pomarine Jaeger POJA _Parasitic Jaeger PAJA _Long-tailed Jaeger LTJA | | | | | | | - | | - | • | • | •• | •• | - |
| Auks, Murres & Puffins _Common Murre COMI | | | | | | - | | | - | | | | | |
| Pigeon Guillemot PIGU Marbled Murrelet MAMU Kittlitz's Murrelet(1) KIMU Ancient Murrelet ANMU | | N N | www | ······ | ···· | ····· | → | | | | | = | 0 | ww |
| _Cassin's Auklet(OS) CAAU _Crested Auklet(2) CRAU _Rhinoceros Auklet RHAU | | N | | | | | | | | | >vvv | | | |
| Horned Puffin(5) HOPU _Tufted Puffin TUPU | | N | | | | - | 0 | 0 0 | 0 | 0 | | | | |
| Gulls & Terns _Black-legged Kittiwake BLKI _Sabine's Gull(OS) SAGU | | | | | | | | | | - | | | | |
| _Bonaparte's Gull BOGU _Black-headed GullBHGU _Little Gull LIGU | | | J | F | - | Α | M | J | J | • • | ••• S | 0 | • N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | A | M | J | J | Α | S | 0 | N | D |
|-------------------------|---------------|-------|---------|---|---|-----|------------|----|----------|----|----------|-----|----------|----------|---|
| _Ross's Gull(1) | ROGU | | _ | | | | | | | | | | 0 | → | |
| _ _Laughing Gull (1) | LAGU | | | | | | | | | o→ | | | | | |
| _Franklin's Gull | FRGU | | | | | | | | | | | | | | |
| _Black-tailed Gull(H-1) | BTGU | | | | | | | | | | | | | 0 | |
| _Heermann's Gull | HEEG | | | | | | | | - | - | | | | | |
| _Mew Gull | MEGU | V | | | | | = | - | - | | | | | | |
| _Ring-billed Gull | RBGU | 7 | | | | | | | | | | | | - | |
| _Western Gull | WEGU | | | | | | | | | | | | | | |
| _California Gull | CAGU | | | | _ | - | | - | -5 | | | _ | | | |
| _Herring Gull | HERG | | | | | | | | | | | | | | |
| _lceland Gull | ICGU | | | | _ | | | | | | | | = | | |
| _Slaty-backed | | | | | | | | | | | | | | | |
| Gull(4) | SBGU | | | 0 | 0 | oww | v → | | | | | | 0 | | |
| _Glaucous-winged | | | | | | | | | | | | | | | |
| Gull | GWGU | 7 | N | | | | | | | | | | | | |
| _Glaucous Gull | GLGU | | | | | | | | | | | | | | |
| _Caspian Tern | CATE | 7 | | | | - | | | | | | | | | |
| _Black Tern (5) | BLTE | | | | | | | | 00 0 | | | 0 | | | |
| _Common Tern | COTE | 7 | | | | | | | | | | | | | |
| _Arctic Tern | ARTE | | | | | | | •• | | • | •••• | •• | •• | | |
| _Forster's Tern(4) | | | | | | | | | | | 0 | 0 | 00 | | |
| _Elegant Tern | ELTE | | | | | | | | | •• | • •• | ••• | | • | |
| Loons | | | | | | | | | | | | | | | |
| Red-throated Loon | RTI O | | | | | | | L | | | | | | | |
| Pacific Loon | PALO | N | | | | | | | | | - | | | | |
| Common Loon | COLO | 1 | N | | | | | | | ļ | | | = | | |
| _Yellow-billed Loor | | 7 | | | | | | | o∿→ | | | | | | |
| Albatrosses | | | | | | | | | | | | | | | |
| Black-footed | | | | | | | | | | | | | | | |
| Albatross(OS) | BFAL | | | | | | | | | | | | | | |
| Short-tailed | DIAL | | | | | • | | | | | • | •• | | | |
| Albatross(OS,4) | STAL | | | | | | | 0 | 0 | | | | | | |
| Shearwaters & | | | | | | | | | | | | | | | |
| Fulmars | | | | | | | | | | | | | | | |
| _Northern Fulmar(OS) | NOFU | | | | ļ | | | | | ļ | | | - | | |
| _Buller's Shearwater | | | | | | | | | | | | | | | |
| (OS, H-1) | BULS | | | | | | | | | 0 | | | | | |
| | | | | J | F | M | Α | M | J | J | Α | S | 0 | N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|--|---------------|-------|---------|----|----|---|---|------|------|-----|----------|------|-----|-----|----|
| _Short-tailed Shearwater(OS) _Sooty Shearwater | | | | •• | •• | | | | | | | | • • | ••• | •• |
| (OS) | SOSH | | | | | | | | | | = | - | | | |
| Shearwater(OS) _Manx Shearwater | PFSH | | | | | | | | | - | | | | | |
| (OS,1) _Black-Vented | MASH | | | | | | | | | | 0 | | | | |
| Shearwater(OS,4) | BVSH | | | | 0 | | | 0 | | | | | 0 | 0 | |
| Storm-Petrels _Fork-tailed Storm- Petrel(OS) | FTSP | | | | _ | | | | | | | | | | |
| _Leach's Storm- Petrel(OS) | LESP | | | | - | - | | - | - | - | _ | | | | |
| Frigatebirds _Frigatebird sp.(H-1) _Brown Booby (3) |) | | | 0 | | | | | | 0 | 0 | | 0 | | |
| Cormorants Brandt's | | | | | | | | | | | | | | | |
| Cormorant Double-crested | BRAC | | N | | | | | - | | | | - | | | |
| Cormorant _Red-faced | DCCO | | N | | | | | | | | | | | | |
| Cormorant(H-1) _Pelagic Cormorant | | | N | | | | | | | | | | | | 0 |
| Pelicans | | | | | | | | | | | | | | | |
| _American White Pelican Brown Pelican | AWPE BRPE | 7 | | | | | • | ••• | •••• | •• | | • •• | • | | |
| | | | | - | _ | | • | - | | | | | | | |
| Herons & Bitterns _American Bittern | AMBI | | | | | | | | | | | | | | |
| _Great Blue Heron _Great Egret | GREG | 7 | N | | | | • | ••• | • | • • | • •• | ••• | • • | • | • |
| _Snowy Egret _Cattle Egret | SNEG CAEG | | | | | | | •••• | • | | • | •• | | • | |
| | | | | J | F | M | Α | M | J | J | Α | S | 0 | N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|--------------------------------------|---------------|-------|---------|----|----------|-----|----|------|------|----------|-----|----|-----|---|-------|
| Green Heron | GRHE | | N | | | | | | | | | | | | |
| Black-crowned Night-Heron | BCNH | | | ww | → | | | • •• | •••• | •••• | ••• | • | | | ••••• |
| Ibises | | | | | | | | | | | | | | | |
| White-faced | | | | | | | | | | | | | | | |
| lbis(4) | WFIB | | | | | | | 000 | | 0 | | | | | |
| American Vultures | | | | | | | | | | | | | | | |
| _Turkey Vulture | TUVU | 7 | N | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Ospreys, Kites, Ea | agles | | | | | | | | | | | | | | |
| _Osprey | OSPR | | N | - | - | | - | - | - | | | | - | | - |
| _White-tailed Kite(5) | WTKI | | | | | | 00 | | | | 0 | 00 | | | |
| _Bald Eagle | BAEA | 7 | Ν | | | - | - | | - | - | - | | | | |
| _Northern Harrier | NOHA | | | | | —- | | | | - | | - | _ | | |
| _Sharp-shinned Hawk | SSHA | | N | | | | | | | | | - | _ | | |
| _Cooper's Hawk | COHA | 7 | Ν | | - | | - | | - | | | | | | - |
| _Northern Goshawk _Red-shouldered | | | N | | | | | | | | | | | | |
| Hawk(1) _Broad-winged | RSHA | | | | | | | | | | | 0 | | | |
| Hawk | BWHA | 7 | | | | | | | | | - | | | | |
| _Swainson's Hawk | | | | | • | • • | •• | •• | • | • • | • • | •• | • • | | |
| _Red-tailed Hawk | RTHA | 7 | N | | - | | - | | | | | | = | | - |
| _Rough-legged Hawk | RLHA | | | | | | | | | | | | | | |
| _Ferruginous | FEHA | | | | | | | | | 0 | | | | | |
| Hawk(1) | | | | | | | | | | | | | | | |
| _Golden Eagle | GOEA | | Ν | | | | | | | | | | | | |
| Barn Owls | | | | | | | | | | | | | | | |
| _Barn Owl | BANO | K | N | | | | | | | | | | | | |
| Typical Owls | | | | | | | | | | | | | | | |
| _Western Screech- | | | | | | | | | | | | | | | |
| Owl | WESO | 7 | Ν | | | | | | | | | | | | |
| _Great Horned Owl | GHOW | | N | _ | | | | | | | | | | | |
| _Snowy Owl | SNOW | | | | | | | | | | | | | | |
| _Northern Hawk | | | | | | | | | | | | | | | |
| Owl(4) | NHOW | | | 0 | _ | | _ | L. | L. | L. | L. | L | 0 0 | | 0 |
| | | | | J | F | M | Α | M | J | J | Α | S | 0 | N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|----------------------|---------------|-------|---------|------|-----|------------|------------|-----|-----|-----|-----|------|----------|-----|-------|
| _Northern Pygmy-Owl | NOPO | | N | | | | | | | | | _ | | | |
| _Burrowing Owl | BUOW | | | • | • | → | • | | | | | • | • | • | |
| _Barred Owl | BADO | 7 | N | - | | | | | | | | | | | |
| _Great Gray Owl(2) | GGOW | | | | ow | → ○ | | | | | | | | | |
| _Long-eared Owl | LEOW | | | • •• | • • | •• | • | • | | | • | ••• | • • | • • | ••• |
| _Short-eared Owl | SEOW | 7 | | | | | | | | | | | | | |
| _Boreal Owl(1) | BOOW | | | | | | | | | | | | | | С |
| _Northern Saw- | | | | | | | | | | | | | | | |
| whet Owl | NSWO | | N | | | | | | | | | | | | |
| Kingfishers | | | | | | | | | | | | | | | |
| _Belted Kingfisher | BEKI | N | N | | | - | | | | = | | | | | |
| Woodpeckers | | | | | | | | | | | | | | | |
| _Lewis's Woodpecker | LEWO | | (N) | | | | • | ••• | •• | • • | •• | •••• | ••• | • | |
| _Acorn | | | . / | | | | | | | | | | | | |
| Woodpecker(2) | ACWO | | | | | | | | or | ww | vv→ | | | Ov→ | |
| _Yellow-bellied | | | | | | | | | | | | | | | |
| Sapsucker (2) | YBSA | | | 0 | | | | | | | | | | | ovv-) |
| _Red-naped | | | | | | | | | | | | | | | |
| Sapsucker | RNSA | | | | | | • • | • • | • • | • | • | • • | •• | ••• | • •• |
| _Red-breasted | | | | | | | | | | | | | | | |
| Sapsucker | RBSA | | N | | | | | | | | | | | | |
| _Downy Woodpecker | | | N | | | | | | | | | | | | |
| _Hairy Woodpecker | | 7 | N | | | | | | | | | | | | |
| _American Three-toed | | | | | | | | | | | | | | | |
| Woodpecker(4) | ATWO | 7 | N | L | | | 00 | | | | | 0 | | | 0 |
| _Northern Flicker | NOFL | / | N | | | | | | | | | | | | |
| _Pileated | DIMO | 7 | N | | | | | | | | | | | | |
| Woodpecker | PIWO | / | N | | | | | | | | | | | | |
| Falcons | | | | | | | | | | | | | | | |
| _American Kestrel | AMKE | | N | | | <u> </u> | — - | | | | | _ | <u> </u> | | ļ |
| _Merlin | MERL | 7 | N | | | _ | | | _ | - | | | | | |
| _Gyrfalcon | GYRF | | | | | | | | | | | | | | ļ |
| _Peregrine Falcon | PEFA | 7 | N | | | | | | | | | | | | |
| _Prairie Falcon(5) | PRFA | | | | 0 | | 00 | | | | 0 0 | | | | |
| Tyrant Flycatchers | 3 | | | | | | | | | | | | | | |
| _Olive-sided | | | | | | | | | | | | | | | |
| Flycatcher | OSFL | V | N | | | | - | - | _ | _ | | | - | | |
| | | | | J | F | М | Α | M | J | J | Α | S | 0 | N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|------------------------------|---------------|-------|---------|-------|-----------------|------|------|------|------|----------|----|----------|------|------|------|
| | Code | _ | Ne | | | | | | | | | | | | |
| _Western Wood- | | _ | | | | | | | | | | | | | |
| Pewee | WEWP | 7 | N | | | | - | = | | - | | | | | |
| _ Alder | | | | | | | | | | | | | | | |
| Flycatcher(3) | ALFL | | ١ | | | | | _ | | | 00 | 0 | | | |
| _Willow Flycatcher | | 7 | N | | | | | | | | | | - | | |
| _Least Flycatcher | LEFL | | (N) | | | | | •• • | •••• | • | •• | • • | 1 | | |
| _Hammond's | | | | | | | _ | | | | | L | | | |
| Flycatcher | HAFL | | N | | | | _ | | | | | | | | |
| _Dusky Flycatcher | DUFL | | | | | | • | •••• | • | | • | • •• | • | | |
| _Pacific-slope Flycatcher | DOEL | | N | | | | | | | | | <u> </u> | | | |
| _"Western"-type | PSFL | | IN | | | | - | | | | | | Ī - | | |
| Flycatcher | | | | | | | | | | | | | | | |
| _ Black Phoebe(3) | ᇚᇚ | | | 0 | → | | | | | | | | | | |
| Eastern | DLFII | | | | | | 0 | | 0 0 | v→ | | | | | |
| Phoebe(1) | EAPH | | | | | | | | | | | | | | |
| _Say's Phoebe | SAPH | | | ••••• | | ov.→ | | L | | | | | | | |
| Ash-throated | OAITI | | | 0000 | υ) | •• | | | | •• | | | •• | • | •0 |
| Flycatcher | ATFL | | | | | | | _ | ١ | ١. | | | l | | |
| _Tropical Kingbird | TRKI | | | | | | | • | •• | ľ | | | ٠. | | |
| _Western Kingbird | | | N | | | | | | | | | | | - | • / |
| _Eastern Kingbird | EAKI | | | | | | | | | | | | | | |
| _Scissor-tailed | L/ (((| | | | | | | | | | | | | | |
| Flycatcher(2) | STFL | | | | | | | | 0 | | | | 0 | | |
| 1 ly catcher(2) | OIIL | | | | | | | | O | | | | 0 | | |
| Shrikes | | | | | | | | | | | | | | | |
| _Loggerhead | | | | | | | | | | | | | | | |
| Shrike(1) | LOSH | | | | | | | | | | | 0 | | | |
| _Northern Shrike | NSHR | | İ | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Vireos | | | | | | | | | | | | | | | |
| _Hutton's Vireo | HUVI | 7 | Ν | | _ | - | | | | | | | - | | |
| _Cassin's Vireo | CAVI | Ŋ | N | | | - | | | | | | | - | | |
| Warbling Vireo | WAVI | | N | | | | _ | | | | | _ | - | | |
| _Red-eyed Vireo(L |)REVI | | N | | | | | - | | | | - | | | |
| _ , , , | , | | | | | | | | | | | | | | |
| Jays, Magpies & C | crows | | | | | | | | | | | | | | |
| _Gray Jay(L) | GRAJ | | N | | | | | | | | | | | | |
| _Steller's Jay | STJA | | N | | | | | | | | | | | | |
| _Blue Jay | BLJA | | | | •••• | •••• | •••• | •••• | | | •• | •••• | •••• | •••• | •••• |
| Clark's Nutcracke | | | | | | | | •~ | v→ | | | •••• | •••• | •• | |
| | | | | J | F | М | Α | М | J | J | Α | S | 0 | N | D |
| | | | | _ | <u> </u> | | | | _ | _ | | _ | _ | | |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|--|---------------|-------|---------|-------|--------|-----|---|---|---|---|---|---|---|---|---|
| _Black-billed Magpie(5) Northwestern | BBMA | | | | 0 0 | | | | | | | 0 | | 0 | 0 |
| Crow | NOCR | 7 | N | | | | | | | | | | | | |
| _Common Raven | CORA | 7 | N | | | | | | | | | | | | |
| Larks | | | | | | | | | | | | | | | |
| _Eurasian Skylark(I,L) | EUSK | 7 | N | | | | | | | | | | | | |
| _Horned Lark | HOLA | • | (N) | | | | | | | | | | | | |
| Swallows | | | | | | | | | | | | | | | |
| _Purple Martin | PUMA | 7 | N | | | | | | | | | | | | |
| _Tree Swallow _Violet-green | TRES | V | N | - | | - | | | | - | | | - | | |
| Swallow | VGSW | 7 | N | - | | | | | | | | | | | |
| _Northern Rough- | | | | | | | | | | | | | | | |
| winged Swallow | | | | | | | - | | | | | | | | |
| _Bank Swallow | BANS | | N? | | | - | | | | | | | | | |
| _Cliff Swallow | CLSW | | | | | - | | | | | | | | | |
| _Barn Swallow | BARS | Ŋ | N | | | | - | | | | | | | - | |
| Titmice | | | | | | | | | | | | | | | |
| _Chestnut-backed | | | | | | | | | | | | | | | |
| Chickadee | CBCH | | N | | | | | | | | | | | | |
| Bushtits | | | | | | | | | | | | | | | |
| _Bushtit | BUSH | 7 | N | | | | | | | | | | | | |
| Nuthatches | | | | | | | | | | | | | | | |
| _Red-breasted Nuthatch | RBNU | 7 | N | | | | | | | | | | | | |
| _White-breasted | RBNO | Ť | 14 | | | | | | | | | | | | |
| Nuthatch _Pygmy | WBNU | | | ••••• | •••••• | ww- | | | | | | | | • | • |
| Nuthatch(H-1) | PYNU | | | | | | | | | | 0 | | | | |
| Creepers | | | | | | | | | | | | | | | |
| _Brown Creeper | BRCR | 7 | N | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | _ |
| 1 | | | | J | F | M | Α | М | ے | 7 | Α | S | 0 | Z | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|---------------------|---------------|-------|---------|-------|-------|------|----|---|-------|--------------------------|--------------|-----------|--------|------|-----|
| Wrens | | | ž | | | | | | | | | | | | |
| Rock Wren | ROWR | | N? | | | | | | | | | | | | |
| House Wren | HOWR | 7 | N | | | | | | | - | | | | | |
| Pacific Wren | PAWR | | N | | | | | | | | | | | | |
| Marsh Wren | MAWR | | N | | | | | | | | | | | | |
| Bewick's Wren | BEWR | 7 | N | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Gnatcatchers | | | | | | | | | | | | | | | |
| _Blue-gray | | | | | | | | | | | | | | | |
| Gnatcatcher | BGGN | | | | | | | | | | •∿→ | | •••••• | vv•₁ | •→ |
| Dippers | | | | | | | | | | | | | | | |
| _American Dipper(L) | AMDI | | N | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Kinglets | | | | | | | | | | | | | | | |
| _Golden-crowned | | | | | | | | | | | | l _ | | | |
| Kinglet | GCKI | | N | | | | _ | | | | | - | | | |
| _Ruby-crowned | | | | | | | | | | | | | | | |
| Kinglet | RCKI | | | | | | | | | | | | | | |
| Bluebirds & Thrus | shes | | | | | | | | | | | | | | |
| _Northern | | | | | | | | | | | | | | | |
| Wheatear(1) | NOWH | | | | | | | | | | | | o→ | | |
| _Western Bluebird | WEBL | 7 | (N) | | | | | | | | | | | | |
| _Mountain Bluebird | MOBL | | | | | | | | | | | - | | | |
| _Townsend's | | | | | | | | | | | | | | | |
| Solitaire | TOSO | | Ν | | | | | | | | | | | | |
| _Veery(3) | VEER | | | | | | | 0 | 0 | | | | | | |
| _Gray-cheeked | GCTH | | | | | | | | | | | 0 | | | |
| Thrush(1) | | | | | | | | | | | | | | | |
| _Swainson's | | | | | | | | | | | | | | | |
| Thrush | SWTH | | N | | | | - | - | | | | _ | | | - |
| _Hermit Thrush | HETH | | N | | | | | | | | | - | - | | |
| _Redwing (R-1) | REDW | | | www | www | www | v→ | | | | | | | | 01 |
| _American Robin | AMRO | | Ν | | | | | | | | | | | | |
| _Varied Thrush | VATH | | N | | | | - | | | | | - | | | |
| Mockingbirds | | | | | | | | | | | | | | | |
| _Gray Catbird | GRCA | | | 1000- | 10000 | vvv→ | | | •1000 | - 1. - 1 - | - 000 | h> | | | www |
| Northern | J. 10/1 | | | | | | | | | | 200 | <u> </u> | | | |
| Mockingbird | NOMO | | | | ļ | L | | L | L | L | L | - | L | | |
| | | | | J | F | М | Α | М | J | J | Α | S | 0 | N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|------------------------------------|---------------|-------|---------|--------|-------|------|------|-------|---|---|---|----|-----|------|-----------------|
| Starlings | | | | | | | | | | | | | | | |
| _Crested Myna(I,E) | CRMY | | | | | | | | | | | | | | |
| _European Starling(I) | EUST | Ŋ | N | | | | | | | | | | | | |
| Waxwings | | | | | | | | | | | | | | | |
| _Bohemian | | | | | | | | | | | | | | | |
| Waxwing | BOWA | | | •••• | •••• | •••• | •••• | | | | | | | •••• | •••• |
| _Cedar Waxwing | CEDW | | N | | | | | | | | | | | | |
| Accentors | | | | | | | | | | | | | | | |
| _Siberian Accentor (1) | SIAC | | | | | | | | | 0 | | | | | |
| Old World Sparrov | WS | | | | | | | | | | | | | | |
| _House Sparrow(I) | | | N | | | | | | | | | | | | |
| Wagtails & Pipits | | | | | | | | | | | | | | | |
| EasternYellow | | | | | | | | | | | | | | | |
| − Wagtail(1) | EYWA | | | | | | | | | | | 0 | | | |
| _Wagtail sp(H-2) | | | | | | | | 0 | | | | | | | |
| _Red-throated Pipit | | | | •> | | | | •• | | | | •• | • • | | |
| _American Pipit | AMPI | | | | | | | | - | | | | - | | |
| Finches, Siskins & | k | | | | | | | | | | | | | | |
| Brambling | BRAM | | | 1.01.0 | 10000 | nn.→ | | | | | | | | -110 | 1. 0 1.0 |
| _Evening Grosbeak | | Ŋ | N | | | | | | | | | | | | |
| _Pine Grosbeak | PIGR | | | | | | | | - | | | | | | |
| _Gray-crowned | | | | | | | | | | | | | | | |
| Rosy-Finch | GCRF | | | | | | | • | | | | • | •• | •• | • • |
| _House Finch | HOFI | 7 | N | | | | | | | | | | | | |
| _Purple Finch | PUFI | | N | | | | | | | | | | | | |
| _Cassin's Finch(1) _Common Redpoll | | | | | | | | 0 | | | | | | | |
| Red Crossbill | RECR | | N | •••• | •••• | •••• | | | | | | | | • | •••• |
| _White-winged | NLON | 00000 | IN | | | | | | | | | | | | |
| Crossbill | WWCR | | | | | | | • • • | | | | •• | • • | | |
| _Pine Siskin | PISI | ww | N | | | | | | | | | | | | |
| _American | | | | | | | | | | | | | | | |
| Goldfinch | AMGO | N | N | | | | | | | | | | - | | |
| | | | | J | F | М | Α | М | J | J | Α | S | 0 | N | D |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|--------------------|---------------|-------|---------------|-----|----------|-----|-----|-----|------|---|---|-----|-----|------|------|
| Longspurs & | | | | | | | | | | | | | | | |
| Snow Buntings | | | | | | | | | | | | | | | |
| _Lapland Longspur | LALO | 7 | | | | | | | | | - | | | | |
| Chestnut-collared | | | | | | | | | | | | | | | |
| Longspur(1) | CCLO | | | | | | | 0 | | | | | | | |
| Smith's | | | | | | | | | | | | | | | |
| Longspur(2) | SMLO | | | | | | | | | | | 00 | | | |
| _Snow Bunting | SNBU | | | | | | | - | | | | - | | | |
| | | | | | | | | | | | | | | | |
| Sparrows & Longs | spurs | | | | | | | | | | | | | | |
| _Spotted Towhee | SPTO | 7 | N | | | | | | | | | | | | |
| American Tree | 01 10 | | 11 | | | | | | | | | | | | |
| Sparrow | ATSP | | | L | L | L | | | | | | | L | | |
| _Chipping Sparrow | | | N | | | | | | | | | | | | |
| | CHOF | | IN | | | | | | | | | | | | |
| _Clay-colored | CCCD | | | | | | | | | | | | | | |
| Sparrow | CCSP | | | www | → | | | • | | • | • | ••• | • • | •••• | vv∙ı |
| _Brewer's Sparrow | | | | | | | | ••• | • •• | | | • | | | |
| _Field Sparrow (1) | | | | | | | | | | | | | | 0 | |
| _Vesper Sparrow | VESP | 7 | (N) | | | | | | | | | | | | |
| _Lark Sparrow | LASP | | | | • | •• | ••• | •• | • | | | • | | • • | • |
| _Black-throated | | | | | | | | | | | | | | | |
| Sparrow(3) | BTSP | | | | | | | | 00 | | | 0 | ₩→ | | |
| _Sagebrush | | | | | | | | | | | | | | | |
| Sparrow(1) | SASP | | | | 0 | | | | | | | | | | |
| _Lark Bunting(1) | LKBU | | | | | | | | 0 | | | | | | |
| _Savannah | | | | | | | | | | | | | | | |
| Sparrow | SAVS | | Ν | | | | | | | | | | - | | |
| _Grasshopper | | | | | | | | | | | | | | | |
| Sparrow(5) | GRSP | | | | | | | | | | | | 000 | 00 | |
| _Nelson's | | | | | | | | | | | | | | | |
| Sparrow(1) | NESP | | | | | | | | | | | | 0 | | |
| _Fox Sparrow | FOSP | 7 | Ν | | | | | - | | | | -4 | | | |
| _Song Sparrow | SOSP | 7 | Ν | | | | | | | | | | | | |
| _Lincoln's Sparrow | LISP | 7 | | | | | _ | - | | - | | | | | |
| _Swamp Sparrow | SWSP | 7 | | ļ | ļ | | | | | | | | | | |
| White-throated | | | | | | | | | | | | | | | |
| Sparrow | WTSP | 7 | | | <u> </u> | | | | - | | | - | | | |
| _Harris's Sparrow | HASP | | | | ļ | | | ļ. | | | | | | | |
| White-crowned | | | | | | | | | | | | | | | |
| Sparrow | WCSP | | N | | | | | | | | | | | | |
| _Golden-crowned | | | | | | | | | | | | | | | |
| Sparrow | GCSP | 7 | (N) | L_ | <u> </u> | | | | | ļ | | | | | |
| - Opanom | 5501 | | \' ') | J | F | М | Α | М | J | J | Α | S | 0 | N | D |
| | | | | | <u> </u> | 141 | _ | 141 | J | J | | U | | 14 | 0 |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | М | J | J | Α | S | 0 | N | D |
|--------------------------------|---------------|-------|---------|------|-------|----|------------|------|-----|----------|---|------|------|-----|------|
| _Dark-eyed Junco | DEJU | | N | | | | | | | | | | | | |
| Chats | | | | | | | | | | | | | | | |
| _Yellow-breasted Chat(4) | YBCH | | | www | www | ww | ∿ → | 0 | own | → | | | | 0 0 | www |
| Blackbirds & Orio | les | | | | | | | | | | | | | | |
| _Yellow-headed | | | | | | | | | | | | | | | |
| Blackbird | YHBL | | | | | | | | | | | | | | |
| _Bobolink _Western | ВОВО | | | | | | | | • | • | | • •• | • •• | •• | |
| Meadowlark | WEME | 7 | Ν | | | | - | | | | | | | | |
| _Hooded Oriole(4) | HOOR | | | | | | | 0 00 | | 0 | | | | | |
| _Bullock's Oriole Baltimore | BUOR | | N | | | | | | | | | | | | |
| Oriole(4) | BAOR | | | | www | | | 0 | | | | | | 0 | 0111 |
| _Red-winged | DAON | | | υυυι | υυυυι | → | | 0 | → | | | | | 0 | Out |
| Blackbird | RWBL | 7 | N | | | | | | | | | | | | |
| _Brown-headed | | | | | | | | | | | | | | | |
| Cowbird | внсо | 7 | N | | | | | | | | | = | | | |
| _Rusty Blackbird | RUBL | | | | | | | | | | | | | | |
| _Brewer's Blackbird | BRBL | 7 | N | | | | | | | | | | | | |
| _Common | | | | | | | | | | | | | | | |
| Grackle(4) | COGR | | | ww | w→ | 0 | | | | | | 0 | | ow | www |
| Wood-Warblers | | | | | | | | | | | | | | | |
| _Ovenbird (2) | OVEN | | | | | | | | 0 | | | 0 | | | |
| _Northern Waterthrush | NOWA | 7 | | | | | | | | | L | | | | |
| Black-and-white | NOVVA | | | | | | | | | | | | | | |
| Warbler(3) | BAWW | | | | | | | n | | 0 | 0 | | | | |
| _Prothonotary | | | | | | | | | | | _ | | | | |
| Warbler(1) | PROW | | | | | | | | | | | | | 0 | |
| _Tennessee | | | | | | | | | | | | | | | |
| Warbler(3) | TEWA | | | | | | | 0 | | | | 0 | | | |
| _Orange-crowned | | | | | | | | L | | L | | | | | |
| Warbler | OCWA | | N | | | | | | | | | | | | |
| _Nashville Warbler | NAWA | | | Ì | | | | | | | | | | | |
| _MacGillivray's Warbler | MGWA | | NI | | | | | | | | | | | | |
| Common | IVIGVVA | 7 | IN | | | | - | | | | | | | | |
| Yellowthroat | COYE | | N | l | ļ | | | | | | | | | | |
| | 30.2 | | | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
| | | | | | | | | | | | | | | | |

| Common Name | eBird Code | Trend | Nesting | J | F | M | Α | M | J | J | Α | S | 0 | N | D |
|------------------------------|-----------------|-------|---------|---|---|----------|----|----|-----|----|-----|-----|----|------|-----|
| Hooded | | _ | ž | | | | | | | | | | | | |
| Warbler(1) | HOWA | | | | | | | | | | | | | | 0 |
| American Redstart | - | | | | | | | | | | ••• | | | | Ŭ |
| Northern | | | | | | | | | | | | | | | |
| Parula(3) | NOPA | | | | | | | | | | n | 0 | n | | |
| _Magnolia | | | | | | | | | | | | _ | - | | |
| Warbler(4) | MAWA | | | | | | | | 00 | 0 | | 0 | | | |
| Blackburnian | | | | | | | | | | | | | | | |
| Warbler(1) | BLWA | | | | | | | | | | | | | 0 | |
| Yellow Warbler | YEWA | | N | | Ļ | | - | | | | | | | | |
| Chestnut-sided | | | | | | | | | | | | | | | |
| Warbler(4) | CSWA | | | | | | | | 00 | on | v→ | | | | |
| _Blackpoll | | | | | | | | | | | | | | | |
| Warbler(4) | BLPW | | | | | | | 0 | 0 | | | 0 | | | |
| _Black-throated | | | | | | | | | | | | | | | |
| Blue Warbler(4) | BTBW | | | | | | | | 0 | | | 0 | 0 | 0 | |
| _Palm Warbler ` | PAWA | | | | | | | | | | | - | | | |
| _Yellow-rumped | | | | | | | | | | | | | | | |
| Warbler | YRWA | 1 | N | | | | -4 | - | | - | - | | - | | |
| _Black-throated | | | | | | | | | | | | | | | |
| Gray Warbler | BTYW | 1 | Ν | | | | | - | - | - | - | | | | |
| _Townsend's | | | | | | | | | | | | | | | |
| Warbler | TOWA | 1 | Ν | | | - | -4 | | | | | | - | | |
| _Hermit Warbler(3) | HEWA | | | | | | 0 | 0 | | | | | | | |
| _Wilson's Warbler | WIWA | | Ν | | - | | • | | | | | - | | | |
| Tananara Craaba | aka 0 | | | | | | | | | | | | | | |
| Tanagers, Grosbe Buntings | ans a | | | | | | | | | | | | | | |
| _Western Tanager | \ \ /ETA | 7 | N | L | L | | | | | | _ | | | | |
| Rose-breasted | WLIA | | IN | | | | | | | | | | | | |
| _rcose-breasted Grosbeak | RBGR | | | | | | | | | | | | | | |
| Black-headed | RDGR | | | | | | | | ••• | •• | • | | | | |
| _black-neaded Grosbeak | BHGR | 7 | N | | | | _ | | | | | L. | | | |
| _Blue Grosbeak(1) | | | IN | | | | | | | | | 0 | | | |
| _Lazuli Bunting | LAZB | | N | | | | | | L | | | 0 | | | |
| _Indigo Bunting | INBU | | 14 | | | | | | ٠. | | L | ا ا | | | |
| _Painted Bunting(1) | | | | | | _ | | •• | •• | | ſ | • | | | |
| _Dickcissel(3) | DICK | | | | | 0 | ₩→ | | | | | _ | | 00.5 | |
| DICKCISSEI(S) | DICK | | | ₩ | | | | | | | | 0 | ٥. | oww | www |
| | | | | J | F | М | Α | М | J | J | Α | S | 0 | N | D |

This checklist includes seasonal bar graphs for 390 species accepted by the Victoria Natural History Society's Bird Records Committee as having occurred within the checklist area. Of these, 149 are known to breed, or have bred; 79 are well out of normal range (Accidental); 12 have been introduced to North America or directly to the checklist area (I); and 6 are classified as hypothetical (H). Names, sequence of species and fourletter codes are based on the AOS Checklist of Birds of North America, 7th edition, 1998 and supplements to July 2017.

The bar graphs have been developed from receipt of specific bird reports by the Victoria Natural History Society Rare Bird Alert, submissions to the bird records committee, reference materials such as the Birds of British Columbia (Campbell et al.) and other reviewed journals, and eBird submissions. The committee acknowledges that bird reports are increasingly shared using social media—chat groups, bulletin boards, Facebook, and most importantly, eBird.

Birders are encouraged to report their sightings and daily lists at **eBird.ca**. It is through these reports of common birds that changes in population numbers and range extensions are documented, and insight into timing, distribution and abundance of birds is gained.

Rare bird reports should include details on how the identification was made—field marks, behaviours, habitat—and very importantly, how other species were ruled out. Wherever possible, photographs and/or field sketches should also be provided.

Old records of accidental, vagrant or rarer birds in the checklist area will be considered by the Bird Records Committee on receipt of appropriate documentation (field notes, sketches, photographs, publication, etc.)

Report sightings on the Rare Bird Alert page at http://naturevictoria.ca or to rba@naturevictoria.ca.

The Victoria Natural History Society offers natural history presentations and field trips suitable for all levels of experience. See the calendar at http://naturevictoria.ca for more information.



Area Covered: South from 49° N at Ladysmith and East from 123°50' W at Ladysmith and Otter Point, including the Canadian Gulf Islands and waters to the United States border.

Birders are encouraged to submit sight records, photographs, audio and/or video of species encountered within the checklist area that: a) do not appear on this list; b) appear as accidental or vagrant; or c) are encountered at a time ouside the seasonal bar-graphs shown for that species. These sightings should be posted to immediately to eBird and/or the Victoria Rare Bird Alert for possible confirmation by others. Evidence or well-documented accounts of such sightings should then be sent to the Victoria Natural History Society for review by the Bird Records Committee.

The Victoria Natural History Society gratefully acknowledges the contribution of bird records by local and visiting birders. Also acknowledged are members of the VNHS Bird Records Committee, B. Begg, D. Fraser, B. Gates, D. Marven, J. Gatten, A. Nightingale, R. Schortinghuis, J. Tatum, and B. Whittington.

Cover art: Gray (Canada) Jays by Howard Coneybeare.